

Version 1.3	Revision Date: 03/19/2015		SDS Number: 6483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015		
SECTION	1. IDENTIFICATION					
Produ	Product name		GOJO® SUPRO MAX™ Hand Cleaner			
Manu	afacturer or supplier's	det	ails			
Comp	pany name of supplier	:	GOJO Industries	GOJO Industries, Inc.		
Addre	ess	:	One GOJO Plaza Akron OH 44311	One GOJO Plaza, Suite 500 Akron OH 44311		
Telep	phone	:	1 (330) 255-6000	1 (330) 255-6000		
Emer	gency telephone	:	1-800-424-9300 CHEMTREC			
Reco	mmended use of the c	cher	nical and restriction	ons on use		
Reco	mmended use	:	Skin-care			
Restrictions on use		:	consumers and o foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for other users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS e information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information backage or instruction sheet.		
SECTION	2. HAZARDS IDENTIF	ICA	TION			

GHS Classification Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H318 Causes serious eye damage.
Precautionary Statements	: Prevention: P280 Wear eye protection/ face protection. Response:



Version 1.3	Revision Date: 03/19/2015	MSDS Number: 66483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015	
		P305 + P351 + P338 + P310 IF IN EYES: Rinse cautious water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing. Immediately call a POIS CENTER or doctor/ physician.		
Othe	r hazards			
None	known.			

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 5 - < 10
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Titanium dioxide	13463-67-7	>= 1 - < 5
5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	< 0.1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.



Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.3	03/19/2015	66483-00004	Date of first issue: 02/26/2015

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Sulfur oxides Metal oxides Nitrogen oxides (NOx) Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items



Version 1.3	Revision Date: 03/19/2015	MSDS Number: 66483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015
		employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.	
SECTION	7. HANDLING AND ST	ORAGE	
Techn	ical measures		ng measures under EXPOSURE ERSONAL PROTECTION section.
Local/Total ventilation		: Use only with a	adequate ventilation.
Advice	e on safe handling	Do not swallov Do not get in e Avoid prolonge Handle in acco practice. Keep containe	
Condit	tions for safe storage	Keep tightly clo	rly labeled containers. osed. dance with the particular national regulations.
Materials to avoid		: Do not store w Strong oxidizin	ith the following product types: ng agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0
5-Chloro-2-methyl-4-	26172-55-4



GOJO® SUPRO MAX™ Hand Cleaner

Version 1.3	Revision Date: 03/19/2015	MSDS Number: 66483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015
isothia	azolin-3-one		
Engir	Engineering measures		ate ventilation, especially in confined areas. cplace exposure concentrations. In may be relevant in the processing of this dition to substance-specific OELs, general concentrations of particulates in the air at ave to be considered in workplace risk Relevant limits include: OSHA PEL for lot Otherwise Regulated of 15 mg/m3 - total 3 - respirable fraction; and ACGIH TWA for bluble or poorly soluble) Not Otherwise mg/m3 - respirable particles, 10 mg/m3 - icles.
	onal protective equipm		
Respi	ratory protection	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifying hazardous ch supplied respi release, expos	ocal exhaust ventilation is recommended to or exposures below recommended limits. Where is are above recommended limits or are propriate respiratory protection should be worn. respirator regulations (29 CFR 1910.134) and SHA approved respirators. Protection provided g respirators against exposure to any emical is limited. Use a positive pressure air rator if there is any potential for uncontrolled sure levels are unknown, or any other where air purifying respirators may not provide ection.
	protection terial	: Impervious glo	oves
Rer	marks	on the concer time is not def For special ap resistance to o gloves with th	s to protect hands against chemicals depending attration specific to place of work. Breakthrough termined for the product. Change gloves often! oplications, we recommend clarifying the chemicals of the aforementioned protective e glove manufacturer. Wash hands before the end of workday.
Eye p	rotection	Chemical resi	wing personal protective equipment: stant goggles must be worn. e likely to occur, wear:
Skin a	and body protection	resistance dat potential. Skin contact n	riate protective clothing based on chemical a and an assessment of the local exposure nust be avoided by using impervious protective es, aprons, boots, etc).
Hygie	ne measures	located close	ye flushing systems and safety showers are to the working place. o not eat, drink or smoke.



Version 1.3	Revision Date: 03/19/2015		DS Number: 183-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015
			Wash contamina	ted clothing before re-use.
SECTIO	N 9. PHYSICAL AND CHI	EMIC	CAL PROPERTIE	S
App	Appearance		liquid	
Col	or	:	tan, opaque	
Ode	or	:	pleasant	
Ode	or Threshold	:	No data availabl	le
pН		:	4.5 - 8.0	
Me	Iting point/freezing point	:	No data availabl	le
Sol	idification / Setting point		13.7 °C	
Initi ran	ial boiling point and boiling ge	:	97 °C	
Flas	sh point	:	> 100 °C	
Eva	aporation rate	:	No data availabl	le
Flai	mmability (solid, gas)	:	Not applicable	
Upp	per explosion limit	:	No data availabl	le
Lov	ver explosion limit	:	No data availabl	le
Vap	Vapor pressure		No data availabl	le
Rel	ative vapor density	:	No data availabl	le
Der	nsity	:	1.00 g/cm3	
	ubility(ies) Water solubility	:	soluble	
	tition coefficient: n- anol/water	:	Not applicable	
Aut	oignition temperature	:	No data availabl	le
Dec	composition temperature	:	The substance of	or mixture is not classified self-reactive.
	cosity /iscosity, kinematic	:	12,000 - 40,000	mm2/s (20 °C)
Exp	plosive properties	:	Not explosive	
Oxi	dizing properties	:	The substance of	or mixture is not classified as oxidizing.



Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.3	03/19/2015	66483-00004	Date of first issue: 02/26/2015

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	
Skin contact	
Ingestion	
Eye contact	

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
		Motiloa. Oaloalation motiloa

Ingredients:

Distillates (petroleum), hydro Acute oral toxicity	otreated light: : LD50 (Rat): > 5,000 mg/kg			
Acute inhalation toxicity	 LC50 (Rat): > 5.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials 			
Acute dermal toxicity	: LD50 (Rabbit): > 3,160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity			
Alcohols, C10-16, ethoxylated, sulfates, sodium salts:				
Acute oral toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral 			

toxicity

Cocoamidopropyl betaine:



GOJO® SUPRO MAX™ Hand Cleaner

Version 1.3	Revision Date: 03/19/2015	MSDS Number: 66483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015		
Acute	e oral toxicity	Method: OECD	 LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials 		
Acute	e dermal toxicity	Method: OECD Assessment: T toxicity	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Remarks: Based on data from similar materials		
Titan	ium dioxide:				
Acute	e oral toxicity	: LD50 (Rat): > 5	,000 mg/kg		
Acute	inhalation toxicity	: LC50 (Rat): > 6 Exposure time: Test atmospher Assessment: The inhalation toxici	4 h re: dust/mist he substance or mixture has no acute		
5-Ch	oro-2-methyl-4-isoth	azolin-3-one:			
	e oral toxicity	: Acute toxicity e Method: Expert	stimate: 100 mg/kg judgment d on data from similar materials		
Acute	inhalation toxicity	: LC50 (Rat): 0.3 Exposure time: Test atmospher Remarks: Base	4 h		
Acute	e dermal toxicity	Method: Expert	stimate: 300 mg/kg judgment d on data from similar materials		
Skin	corrosion/irritation				
Not c	lassified based on ava	ilable information.			

Product:

Result: No skin irritation

Ingredients:

Distillates (petroleum), hydrotreated light: Assessment: Repeated exposure may cause skin dryness or cracking.

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Result: Skin irritation

Titanium dioxide:

Species: Rabbit Result: No skin irritation

5-Chloro-2-methyl-4-isothiazolin-3-one:

Result: Corrosive after 3 minutes to 1 hour of exposure Remarks: Based on data from similar materials



Version	Revision Date:	MSDS Number:
1.3	03/19/2015	66483-00004

Date of last issue: 03/17/2015 Date of first issue: 02/26/2015

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Distillates (petroleum), hydrotreated light: Species: Rabbit Result: No eye irritation

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Titanium dioxide:

Species: Rabbit Result: No eye irritation

5-Chloro-2-methyl-4-isothiazolin-3-one:

Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Distillates (petroleum), hydrotreated light:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Titanium dioxide:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

5-Chloro-2-methyl-4-isothiazolin-3-one:



GOJO® SUPRO MAX™ Hand Cleaner

rsion B	Revision Date: 03/19/2015			Date of last issue: 03/17/2015 Date of first issue: 02/26/2015	
Resul	es of exposure: Skin con t: positive ırks: Based on data fror		aterials		
Asses	ssment: Probability or e	vidence of	skin sensitiz	zation in humans	
	cell mutagenicity assified based on avail	able inform	ation.		
Ingre	dients:				
Distil	lates (petroleum), hyd toxicity in vitro	: Test	-	erial reverse mutation assay (AMES)	
Genot	toxicity in vivo	Speci Applie Resu	ies: Rat cation Route It: negative	nosomal aberration e: Intraperitoneal injection on data from similar materials	
	amidopropyl betaine: toxicity in vitro	Metho Resu	od: OECD 1 It: negative	erial reverse mutation assay (AMES) Fest Guideline 471 on data from similar materials	
Geno	toxicity in vivo	cytog Speci Applio Resu	enetic assa ies: Mouse cation Route It: negative	malian erythrocyte micronucleus test (in vi y) e: Ingestion on data from similar materials	
	ium dioxide: toxicity in vitro		Type: Bacte lt: negative	erial reverse mutation assay (AMES)	
Geno	toxicity in vivo	Spec	Type: In viv ies: Mouse lt: negative	o micronucleus test	
	nogenicity assified based on avail	able inform	ation.		
Ingree Titani Speci Applic Expos Metho	dients: ium dioxide: es: Rat cation Route: inhalation sure time: 24 Months od: OECD Test Guidelir t: positive	(dust/mist/			

Remarks: The mechanism or mode of action may not be relevant in humans. The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.



rsion 3	Revision Date: 03/19/2015	MSDS Number: 66483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015			
Carci ment	nogenicity - Assess-	: Limited evidend animals.	e of carcinogenicity in inhalation studies wit			
IARC	:	Group 2B: Possib	y carcinogenic to humans			
		Titanium dioxide	13463-6			
OSHA			No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.			
NTP			No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
-	oductive toxicity assified based on availa	ble information.				
Ingre	dients:					
	lates (petroleum), hydi is on fertility	: Test Type: One Species: Rat Application Rou Result: negative				
Effects on fetal development		: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative				
	amidopropyl betaine: s on fetal development	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414			
	-single exposure	hle information				
	assified based on availa	ible information.				
	-repeated exposure assified based on availation	ble information.				
	ated dose toxicity					
Ingre Distil Speci NOAE Applic	dients: lates (petroleum), hydr es: Rat EL: > 10.4 mg/l cation Route: inhalation sure time: 90 d	-				



Version	Revision Date:	MSDS Number:
1.3	03/19/2015	66483-00004

Date of last issue: 03/17/2015 Date of first issue: 02/26/2015

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Titanium dioxide:

Species: Rat NOAEL: 24,000 mg/kg Application Route: Ingestion Exposure time: 28 d

Species: Rat NOAEL: 10 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 2 y Remarks: The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:	
Distillates (petroleum), hydro	streated light:
Toxicity to fish	 LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	 EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae	 EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction



Version 1.3	Revision Date: 03/19/2015		SDS Number: 483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015
			Exposure time:	tonema costatum (marine diatom)): 993 mg/l 72 h : Water Accommodated Fraction
aqua	ity to daphnia and other tic invertebrates onic toxicity)	:	Exposure time:	daphnia dubia (water flea)): > 70 mg/l 8 d : Water Accommodated Fraction
Toxic	ity to bacteria	:	EC50: > 100 m Exposure time:	
	pamidopropyl betaine: bity to fish	:	LC50: > 1 - 10 Exposure time: Method: ISO 73 Remarks: Base	96 h
Toxic	ity to bacteria	:		g/l Test Guideline 209 d on data from similar materials
	ium dioxide: ity to fish	:	Exposure time:	nchus mykiss (rainbow trout)): > 100 mg/l 96 h Test Guideline 203
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia Exposure time:	n magna (Water flea)): > 100 mg/l 48 h
Toxic	tity to algae	:	EC50 (Skeletor Exposure time:	nema costatum (marine diatom)): > 10,000 mg/l 72 h
Toxic	ity to bacteria	:	EC50: > 1,000 Exposure time: Method: OECD	
	loro-2-methyl-4-isothia ity to fish		LC50 (Oncorhy Exposure time:	nchus mykiss (rainbow trout)): 0.19 mg/l 96 h d on data from similar materials
	ity to daphnia and other tic invertebrates	:	Exposure time:	n magna (Water flea)): 0.16 mg/l 48 h d on data from similar materials
Toxic	ity to algae	:	Exposure time:	trum capricornutum (green algae)): 0.027 mg/l 72 h d on data from similar materials
M-Fa icity)	ctor (Acute aquatic tox-	:	10	



Version 1.3	Revision Date: 03/19/2015	-	DS Number: 83-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015
Pers	sistence and degradabi	lity		
Ingr	edients:			
	illates (petroleum), hyc egradability	:	Result: Readily Biodegradatior Exposure time	
	o hols, C10-16, ethoxyla egradability			m salts: / biodegradable.
	oamidopropyl betaine: egradability	:	Biodegradation Exposure time Method: OECE	
	iloro-2-methyl-4-isothi a egradability			dily biodegradable.
Bioa	accumulative potential			
5-Cł Parti	edients: nloro-2-methyl-4-isothia ition coefficient: n- nol/water		-3-one: log Pow: 0.401	
Mob	ility in soil			
No c	lata available			
	er adverse effects lata available			
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS			
Disp	oosal methods			
Was	te from residues	:	Dispose of in a	ccordance with local regulations.
Cont	taminated packaging		Empty contain	unused product. ers should be taken to an approved waste or recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good IATA-DGR

California Prop 65



GOJO® SUPRO MAX[™] Hand Cleaner

/ersion I.3	Revision Date: 03/19/2015	MSDS Number: 66483-00004	Date of last issue: 03/17/2 Date of first issue: 02/26/2		
Not re	egulated as a dangero	ous good			
	-Code egulated as a dangero	ous good			
	sport in bulk accordi pplicable for product a	-	RPOL 73/78 and the IBC Co	de	
Dome	estic regulation				
49 CF Not re	FR egulated as a dangerc	ous good			
SECTION	15. REGULATORY I	NFORMATION			
EPCF	RA - Emergency Plar	nning and Community	Right-to-Know		
	CLA Reportable Qua material does not cont	ntity ain any components wi	th a CERCLA RQ.		
	-	ardous Substances R ain any components wi	eportable Quantity th a section 304 EHS RQ.		
SAR	A 311/312 Hazards	: Acute Health H	azard		
SAR	A 302		n this material are subject to t f SARA Title III, Section 302.	he reporting	
SAR	A 313	known CAS nur	does not contain any chemical components with numbers that exceed the threshold (De Minimis) els established by SARA Title III, Section 313.		
Penn	sylvania Right To Kı	now			
	Water		7732-18-5	30 - 50 %	
		(petroleum), hydrotreat	-	10 - 20 %	
	Walnut se		84012-43-1	5 - 10 %	
		C10-16, ethoxylated, su	ulfates, 68585-34-2	5 - 10 %	
	sodium sa Castor oil,		8002-33-3	5 - 10 %	
			13463-67-7	1 - 5 %	
			122-99-6	0.1 - 1 %	
New	Jersey Right To Kno				
	Water		7732-18-5	30 - 50 %	
		(petroleum), hydrotreat		10 - 20 %	
	Walnut se		84012-43-1	5 - 10 %	
	Alcohols	C10-16, ethoxylated, su	ulfates, 68585-34-2	5 - 10 %	


reproductive defects.



1.3 03/19/2015 66483-00004 Date of first issue: 02/26/2015	Version 1.3	Revision Date: 03/19/2015	MSDS Number: 66483-00004	Date of last issue: 03/17/2015 Date of first issue: 02/26/2015	
--	----------------	------------------------------	-----------------------------	---	--

SECTION 16. OTHER INFORMATION





HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA		Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8