SAFETY DATA SHEET



1. Identification			
Product identifier	Rapid Set TXP Epoxy Primer Part A		
Other means of identification			
Product code	183040000		
Recommended use	Industrial use.		
Recommended restrictions	Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/	Distributor information		
Company name Address	CTS Cement Manufacturing Corporation 11065 Knott Ave Suite A Cypress, CA 90630 United States		
Telephone E-mail	1-800-929-3030 info@ctscement.com		
Contact person	Safety Officer		
Emergency telephone number	1-800-929-3030 (8 AM - 5 PM)		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health Hazards	Skin Irritant	Category 2	
	Eye Irritant	Category 2	
	Skin Sensitizer	Category 1	
OSHA defined hazards	Not classified.		
Label elements			
	(!)		
Signal word	Warning		
Hazard statement	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.		
Precautionary statement			
Prevention	Avoid breathing mist/vapors/spray. Wear protective gloves/eye protection. Avoid release to environment. Wash thoroughly after handling.		
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.		
Additional Information	Contains epoxy constituents. May produce ar	nd allergic reaction.	
Hazard(s) not otherwise classified (HNOC)	None known.		

3. Composition/information on ingredients

Mixture

Description: Mixture of substances listed below with nonhazardous additions

Chemical name	CAS number	%
Reaction Product: bisphenol – A – (epichlorohydrin) epoxy resin (number average molecular weight ≤ 700)	25068-38-6	20-30
Silicon Dioxide	14808-60-7	10-20
Neopentyl glycol diglycidyl ether	17557-23-2	5-10
Solvent Naphtha (Petroleum), Heavy Aromatic	64742-94-5	< 3

4. First-aid measures

Inhalation	Remove the affected person immediately to fresh air. Call a doctor in case of complaints.		
Skin contact	Immediately rinse with water. If skin irritation occurs: consult a doctor		
Eye contact	Remove contact lenses, if present and easy to do. Rinse opened yet for several minutes under running water. If symptoms persist, consult a doctor.		
Ingestion	Immediately rinse mouth and drink plenty of water. Do not induce vomiting; call for medical help immediately.		
Most important symptoms/effects, acute and delayed	Allergic reactions. Nausea. Coughing. Gastric or intestinal disorders. Irritant to skin and mucous membranes. Irritant to eyes.		
Indication of immediate medical attention and special treatment needed	Contains reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700). May produce an allergic reaction. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Medical supervision for at least 48 hours.		
General information	Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation is recommended for at least 48 hours after accident.		
5. Fire-fighting measures			
Suitable extinguishing media	Water haze or fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water with full jet or water spray.		

Formation of toxic gases is possible during heating or in case of fire. Specific hazards arising from the chemical Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters Cool endangered receptacles with water fog or haze. Eliminate all ignition sources if safe to do so. **Additional Information**

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Ensure adequate ventilation. Keep away from ignition sources. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Absorb liquid components with liquid-binding material. Send for recovery or disposal in suitable receptacles. Ensure adequate ventilation. Dispose contaminated material as waste according to item 13.
Environmental precautions	Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. Prevent from spreading (e.g. by damming-in or oil barriers).
7. Handling and storage	
Precautions for safe handling	Use only in well-ventilated areas. Store in a cool, dry place in tightly closed receptacles (60-80°F recommended).
Conditions for safe storage, including any incompatibilities	Use only receptacles specifically permitted for this substance/product. Keep container tightly sealed. Store in an area with adequate ventilation. Store away from extreme heat, ignition sources, open flame, or incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Control Parame	eters
----------------	-------

Ingredients with limit values that require monitoring at the	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
workplace:	
DNELS	No further relevant information available.
PNECs	No further relevant information available.
Additional information	The lists valid during the making were used as basis.
Appropriate engineering control	bls
	Provide readily accessible eye wash stations and safety showers. Provide ventilation adequate to ensure concentrations are minimized.
Individual protection measures	, such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields or safety goggles. Contact lenses should not be worn.
Skin protection	
Hand protection	Protective, impervious gloves. (Neoprene, PVC, Nitrile rubber). The glove material has to be impermeable and resistant to the product / the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
Other	Wear protective work clothing. Where potential exposure warrants, rubber or plastic boots and chemically resistant protective suit.
Respiratory protection	Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. Use respiratory protection when grinding or cutting material.
General hygiene considerations	Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

9. Physical and chemical properties

Appearance		
Form	Viscous Liquid	
Color	White	
Odor	Sweet	
Odor threshold	Not available	
рН	Not available	
Melting point/freezing point	Not available	
Initial boiling point and boiling range	> 392°F / > 200°C	
Flash point	> 302°F / > 150°C	
Evaporation rate	Not available	
Flammability (solid, gas)	Not applicable	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available	
Flammability limit - upper (%)	Not available	
Vapor pressure	Not available	
Vapor density	Not available	
Relative density	2.12 @ 20°C	
Solubility(ies)		
Solubility (water)	Not miscible or difficult to mix	
Partition coefficient		
(n-octanol/water)	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	12,000 – 20,000 cps	

10. Stability and reactivity

Reacts with strong alkali. Exothermic polymerization. Reacts with strong acids and oxidizing agents.
Reacts with catalysts.
No decomposition if used and stored according to specifications.
Avoid contact with strong oxidizing agents, excessive heat or flames.
Strong acids, bases and oxidizing agents.
Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure			
Inhalation	May cause respiratory irritation.		
Skin contact	May causes skin irritation.		
Eye contact	May cause eye irritation.		
Rapid Set TXP Epoxy Primer 3 gal KIT	Γ	SDS U	

922488 Version #: 01 Revision date: - Issue date: 29-May-2015

Ingestion	No data.		
Symptoms related to the physical, chemical and toxicological characteristics	No available data.		
Delayed and immediate effects	as well as chr	onic effects from short and long-term exposure	
(Data for primary hazardous comp	onent: Reactio	n product: bisphenol - A- (epichlorohydrin) epoxy resin)	
Acute toxicity	Oral Dermal Inhalation	LD50 > 2,000 mg/kg (rat) LD50 > 2,000 mg/kg (rat) No data	
Skin corrosion/irritation Serious eye damage/ eye irritation	Test material was slightly irritating to skin in key studies. For the skin, mean erythema and edema scores were 0.8 and 0.5 respectively. Test material was slightly irritating to the eye in key studies. The mean eye score was 0.4		
Respiratory or skin sensitizatior Respiratory sensitization	No data avail	able.	
Skin sensitization	In a local lymph node assay, the concentration that would cause a 3-fold increase in proliferation (EC-3) was calculated to be 5.7% which is consistent with moderate dermal sensitization potential.		
Numerical measures of toxicity	No data available for mixture.		
Additional toxicological information	The product show the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant Danger through skin absorption. Toxic and /or corrosive effects may be delayed up to 24 hours. Inhalation of concentrated vapours as well as oral intake will lead to anesthesia-like conditions and headache, dizziness etc.		

12. Ecological information

(Data for primary hazardous component: Reaction product: bisphenol - A- (epichlorhydrin) epoxy resin)

Aquatic Toxicity	Fish	96hr-LC50 = 3.6mg/L test mat. <i>Oncorhynchus mykiss</i> (direct application, nominal) (OECD Guideline 203)	
		LC50 1.41 mg/L 96hr Oryzias latipes	
	Crustacea	48hr-EC50 = 2.8mg/L test mat Daphnia magna (direct application, nominal, based on: mobility) (OECD Guideline 202)	
		EC50 1.7mg/L 48hr	
	Aquatic Plant	72hr-EC50 > 11 mg/L Scenedesmus capricornutum. Water soluble fraction (meas. (arithm. mean)) based on: growth rate (EPA-660/3-75-009)	
Persistence and degradability	No data is avai	lable on the degradability of this product.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No further relevant information available.		
Results of PBT and vPvB asses PBT: vPvB:	sment Not applicable Not applicable		

13. Disposal considerations

Waste from residues / unused	This product should not be allowed to enter drains, water courses or the soil. Dispose of this
products	material in a safe manner and in accordance with federal, state and local regulations

Disposal must be made in accordance with official federal, state and local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

TDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

TSCA (Toxic Substances Control Act)

All the ingredients are listed.

SARA 355 Extremely hazardous substance

None of the ingredients are listed.

SARA 313 (Specific toxic chemical listings)

Component(s) above 'de minimus' level: None

US state regulations WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Chemicals known to cause cancer: Silicon dioxide (CAS 14808-60-7) (dispersed in liquid medium; not in a respirable form)

International Inventories

Canadian Domestic Substances List (DSL) All ingredients are listed Canadian Ingredient Disclosure List (limit 0.1%) None of the ingredients are listed Canadian Ingredient Disclosure List (limit 1%) None of the ingredients are listed

Chemical Safety assessment: A Chemical Safety Assessment has not been carried out.

16. Other information, including date of preparation or last revision

Issue date	29-May-2015	
Revision date	-	
Version # HMIS Rating:	01	
-	Health: Flammability: Physical Hazard:	2 1 0

Disclaimer CTS Cement Manufacturing Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.